



**Rehospitalization Intervention
Program Objectives:**

- Reduce 30-Day rehospitalizations for Pneumonia, CHF & COPD
- Initiate Respiratory Therapy into the Plan of Care
- Utilize Prevention Strategies

**The U.S. Average for 30-Day
Re-Hospitalization Rates*:**

- 16.7% for Pneumonia
- 21.7% for CHF
- 19.6% for COPD

PEL/VIP Whole Company
Cardio-Pulmonary Participant Report
February 2019


*medicare.gov/hospitalcompare

Results Summary: 1254 Total Participants

Participant Breakdown: Pneumonia - 590 High Risk, 65 Low Risk; CHF - 806 High Risk, 52 Low Risk; COPD - 472 High Risk, 20 Low Risk

Re-Hospitalization Results

1.2% Pneumonia
0.8% CHF
0.8% COPD



30-Day Nursing Home CMS Quality Measures

- 20% of short stay participants were successfully discharged to the community
- 0% of short stay participants had an outpatient emergency department visit
- 12% of short stay participants were re-hospitalized for any reason
- 3% of short stay participants were re-hospitalized for a cardio-pulmonary reason

*502 other participants were able to benefit from the use of Respiratory Services outside of the Cardio-Pulmonary Program