



**Rehospitalization Intervention
Program Objectives:**

- Reduce 30-Day rehospitalizations for Pneumonia, CHF & COPD
- Initiate Respiratory Therapy into the Plan of Care
- Utilize Prevention Strategies

**The U.S. Average for 30-Day
Re-Hospitalization Rates*:**

- 16.7% for Pneumonia
- 21.7% for CHF
- 19.6% for COPD

PEL/VIP Whole Company
Cardio-Pulmonary Participant Report
December 2020


*medicare.gov/hospitalcompare

Results Summary: 1157 Total Participants

Participant Breakdown: Pneumonia - 404 High Risk, 114 Low Risk; CHF - 562 High Risk, 46 Low Risk; COPD - 437 High Risk, 25 Low Risk

Re-Hospitalization Results

0.8% Pneumonia
0.7% CHF
0.2% COPD



30-Day Nursing Home CMS Quality Measures

- 23% of short stay participants were successfully discharged to the community
- 0% of short stay participants had an outpatient emergency department visit
- 8% of short stay participants were re-hospitalized for any reason
- 2% of short stay participants were re-hospitalized for a cardio-pulmonary reason

*384 other participants were able to benefit from the use of Respiratory Services outside of the Cardio-Pulmonary Program